



DETERMINE HEIGHT CURTAIN FABRIC *(FOR SEWING WORKROOMS)*

The heading height is the distance from the top of the curtain and the carrier eye. This ensures that the carriers and a part of track are hidden. The deduction measure must be deducted from the height of the curtain (measured from the ceiling).


NOTE: The sizes as indicated above are from the top only. This overview is only intended for sewing workshops.

THE WORLD
BEHIND
YOUR
CURTAINS

MANUAL CURTAIN TRACK SYSTEMS



FOREST KS®




PROFILE	PLEAT	WAVE
<p>FOREST KS® RECESS</p>	<p>KS AS carrier Heading height 2,5 cm Deduction measure 0,22 cm</p>	<p>Square Easywave carrier Deduction measure 1,9 cm</p>
<p>FOREST CKS®</p>	<p>KS AS carrier Heading height 2,5 cm Deduction measure 0,22 cm</p>	N/A
<p>FOREST CS®</p>	<p>FMS carrier asymmetr. Heading height 3,5 cm Deduction measure 0,48 cm</p>	<p>Square Easywave carrier Deduction measure 2,5 cm</p>
<p>FOREST CCS®</p>	<p>FMS carrier asymmetr. Heading height 3,5 cm Deduction measure 0,48 cm</p>	<p>Square Easywave carrier Deduction measure 2,5 cm</p>
<p>FOREST CRS® 20MM</p>	<p>CRS carrier round Heading height 0,5 cm Deduction measure 2,685 cm</p>	<p>Square Easywave carrier Deduction measure 2,5 cm</p>
<p>FOREST CRS® 28MM</p>	<p>CRS carrier round Heading height 1 cm Deduction measure 3,17 cm</p>	<p>Square Easywave carrier Deduction measure 3,3 cm</p>
<p>FOREST PS®</p>	<p>Panel System PS standard carrier Deduction measure 2,60 cm</p>	

FOREST CRS® CORDED 28MM



FOREST DS®



FOREST DS-XL®



FOREST DS-XL® LED



FOREST MCS® 1/2 & 2/3



FOREST MTS®



FOREST MTS® FLAT



FOREST MTS® ROUND



PROFILE	PLEAT	WAVE
	<p>MRS carrier round Heading height 1,5 cm Deduction measure 3,26 cm</p>	<p>Square Easywave carrier Deduction measure 3,3 cm</p>
	<p>Carrier assymetr. Heading height 2 cm Deduction measure 0,5 cm</p>	<p>Square Easywave carrier Deduction measure 1,6 cm</p>
	<p>Economical carrier Heading height 0 cm Deduction measure 1,8 cm</p>	<p>Square Easywave glijder Deduction measure 1,8 cm</p>
	<p>Economical carrier Heading height 0 cm Deduction measure 2,3 cm</p>	<p>Square Easywave carrier Deduction measure 2,3 cm</p>
	<p>Carrier assymetr. Heading height 0 cm Deduction measure 0,85 cm</p>	<p>Square Easywave carrier Deduction measure 0,85 cm</p>
	<p>MTS carrier with Stainless steel hook Heading height 0 cm Deduction measure 7,15 cm</p>	<p>Square Easywave carrier Deduction measure 3,3 cm</p>
	<p>MTS carrier with Stainless steel hook Heading height 0 cm Deduction measure 7,6 cm</p>	<p>Square Easywave carrier Deduction measure 3,8 cm</p>
	<p>MTS carrier with Stainless steel hook Heading height 0 cm Deduction measure 6,9 cm</p>	<p>Square Easywave carrier Deduction measure 3,3 cm</p>

MOTORISED TRACK SYSTEMS

FOREST FMS®



	PROFILE	PLEAT	WAVE
FOREST FMS®		<p>FMS carrier Heading height 3,5 cm Deduction measure 0,6 cm</p>	<p>Square Easywave carrier Deduction measure 3,03 cm</p>
FOREST FMS® PLUS		<p>Economy carrier Heading height 4,5 cm Deduction measure 0,6 cm</p>	<p>Square Easywave carrier Deduction measure 4,11 cm</p>
FOREST FMS® PLUS RECESS		<p>Economy carrier Heading height 1,5 cm Deduction measure 2,1 cm</p>	<p>Square Easywave carrier Deduction measure 1,06 cm</p>
FOREST DS-XL® LED		<p>Economy carrier Heading height 1,5 cm Deduction measure 4,5 cm</p>	<p>Square Easywave carrier Deduction measure 3,48 cm</p>
FOREST MRS®		<p>MRS carrier round Heading height 1,5 cm Deduction measure 5 cm</p>	<p>Square Easywave carrier Deduction measure 3,84 cm</p>
FOREST FMS® DUAL		<p>KS AS carrier Heading height 0 cm Deduction measure 2,7 cm</p>	<p>Square Easywave carrier Deduction measure 3,3 cm</p>