



**EASY  
INSTALL**



**CORDED  
CONTROL**

## FOREST CORDED Systems

Heavy duty corded curtain track systems with separate internal cord channels; preventing cord sag and eliminating cord tangle.

CKS® corded | Coded Klick System  
CCS® corded | Coded Contract System  
CRS® corded | Curtain Rod System  
DS-XL® corded | Design System XL

THE WORLD  
BEHIND  
YOUR  
CURTAINS



# FOREST CKS® corded



## PRODUCT INFORMATION

- Highly efficient cord traversing system with separate internal cord channels; preventing cord sag and eliminating cord tangle.
- Quick installation with "Smart Klick" brackets for wall and ceiling applications.
- Bendable; it can be bent and reverse bent by using a 10 cm (4") radius or continuous curved.
- Heavy duty clickable carriers - UV protected - for smooth and easy traversing. Offset shape for straight hanging pleats.
- Can also be used for ripplefold or accordiafold drapery systems.
- Maximum fabric weight:  $\pm 6$  kg per meter (4,5 LBS per ft.). Overall max weight, 40 kg.
- Colours available: white, grey and black.
- Available lengths: 4 meter (13'1"), 5 meter (16'4"), 6 meter (19'8"),).
- Track finish: chromated powder coated with a factory applied patented dry lubricant.
- Warranty: 10 years



Clickable carrier


25 mm  
(1")



Easy installation  
click - position - tighten

## PROFILE


- Shown actual size 1:1
- Aluminium Extrusion
- Weight: 202 grams per meter (2.17 ounce per ft.)
- Dimensions: 14 mm x 20 mm (0,6" x 0,8").



- 1 CKS Track
- 2 KS Carrier
- 3 CKS Master Carrier Overlap
- 4 CKS Master Carrier Underlap
- 5 CKS Pulley
- 6 Ceiling bracket with endcap




## APPLICATIONS



## BENDING / CURVING

The track can be bent and reverse bent using a 10 cm (4") radius. Continuous curving can easily be done using the continuous curver or the electric powered bender.




## FOR USE IN

Hotels - offices - residences - boats - campers - planes or any location where an efficient cord traversing system is required.

## MOUNTING BRACKETS

### Wall bracket

3,5 cm (1,4"),  
6 cm (2,4")




A) Min. 10 cm (4")



A) Min. 15 cm (6")



### SK Ceiling Bracket




### SK Wall bracket aluminium single

A) 7,5 cm (3")

B) 6,3 cm (2,5")

A) 10 cm (4")

B) 8,8 cm (3,5")



### SK Wall bracket aluminium double

A) 15 cm (6")


B) 9,2 cm (3,6")

C) 4,5 cm (1,8")

A) 20 cm (8")


B) 9,2 cm (3,6")

C) 9,5 cm (3,7")



### SK Wall bracket aluminium triple

25 cm (10")





# FOREST CCS<sup>®</sup> corded



## PRODUCT INFORMATION

- Heavy duty cord operated system, with separate internal cord channels; preventing cord sag and eliminating cord tangle.
- Quick installation with "Smart Klick". brackets for wall and ceiling applications.
- Bendable; it can be bent and reverse bent with a 20 cm (8") radius or continuous curve.
- Heavy duty clickable carriers - 10 carriers on a breakaway strip - UV protected.
- Can also be used for Forest Easyfold and accordiafold drapery systems.
- Maximum fabric weight: 8 kg. per mtr (5,3 LBS per ft). Overall max weight, 50 kg.
- Colours available: white, grey & black.
- Track finish: chromated powder coating with a factory applied patented dry lubricant.
- Lengths available: 3.66 m (12'), 4.27 m (14'), 4.88 m (16'), 6.10 m (20').
- Same brackets as used with Klick System.
- Warranty: 10 years.




Easy installation  
click - position - tighten



Clickable carrier

## PROFILE


- Shown actual size 1:1
- Aluminium Extrusion
- Weight: 300 gram per mtr (3.22 ounce per ft)
- Dimensions: 20 mm x 20 mm (3/4" x 3/4")



- 1 Carrier
- 2 CCS/FMS Master Carrier Underlap
- 3 Traverse cord
- 4 CCS/FMS Master Carrier Overlap
- 5 CCS Cord connector
- 6 CCS Track
- 7 Pulley




## APPLICATIONS



## BENDING / CURVING

The track can be bent and reverse bent using a 20 cm (8") radius. Continuous curving can be done with the electric powered bender or by special order from factory.




## FOR USE IN

Hotels - motels - offices - healthcare - schools - residential or any location where a heavy duty cord traverse system is required.

## MOUNTING BRACKETS

### SK Ceiling Bracket




### A) Min. 20 cm (8")



### SK Aluminium Wall Bracket single

A) 7,5 cm (3") B) 6,3 cm (2,5")


A) 10 cm (4") B) 8,8 cm (3,5")



### SK Wall bracket aluminium double


A) 15 cm (6") B) 9,2 cm (3,6") C) 4,5 cm (1,8")

A) 20 cm (8") B) 9,2 cm (3,6") C) 9,5 cm (3,7")



### SK Wall bracket aluminium triple

25 cm (10")



Brackets need to be placed every 50 - 60 cm (20"), depending on fabric weight.

# FOREST CRS® Coded





## PRODUCT INFORMATION

- Elegant and trendy cord-operated channel rod system
- Curtain rod fitted with curtain carriers
- Available dimension: 28 mm (1,1")
- Bendable, both with an inside and outside corner
- Available in 7 colours: White-PC, Gold-AN, Anthracite-PC, Chrome, Inox-AN, Taupe-PC, Antique-PC
- The brackets and endcaps are available in matching colours
- Wide range of decorative finials offering great variety of design options
- Length: 5,80 m (19")
- Rod quality: aluminium, chromated, powder coated or anodized
- Easy and quick assembly
- Forest Easyfold System (FES) for wave pleat also applicable on CRS Coded
- Warranty: 10 years.

## PROFILE

- Shown actual size 1:1
- Weight: 460 grammes per meter
- Aluminium extrusion
- Dimension: 28 mm (1,1")




- 1 CRS coded End pulley
- 2 CRS channel rod
- 3 Traverse cord
- 4 MRS carriers
- 5 Easyflex master carrier 90° left
- 6 Easyflex master carrier 90° right
- 7 CRS coded end pulley base
- 8 CCS double cord connector
- 9 Ceiling bracket with slot






## APPLICATIONS



Cross-Section Channel Rod with cord connectors and carriers.

## BENDING / CURVING

The 28 mm (1,1") rod can be curved and reverse curved by using a radius of 20 cm (8").




## FOR USE IN

Domestic and / or contract market, or at any location where a high quality, elegant and corded operated channel rod system is required.

## MOUNTING BRACKETS


### CRS Ceiling Bracket



### CRS Ceiling Support

4 cm (1,6"), 5 cm (2") or 10 cm (4").


20 mm (0,8")/ 28 mm (1,1").



### CRS Wall Bracket, single


8 cm (3,1"), 12 cm (4,7") and 16 cm (6,3")

(Base plate for the 12 cm (4,7") and 16 cm bracket is 6,2 cm (2,4"), similar to the double wall brackets.)




### CRS Wall Bracket, double

16 cm (6,3")




### CRS Wall Bracket, double

16 cm (6,3") Ø 20 mm (0,8") (manual) / 28 mm (1,1") (corded)



### CRS Wall Bracket, double

20 cm (7,87") Ø 28 mm (1,1")



# FOREST DS-XL® corded



With the DS-XL® Series, Forest offers curtain tracks that optimally combines design and functionality. The Design System XL gives every interior an extra visual appearance.

Stylish curtains deserve an elegant and fashionable curtain track. The DS-XL® Series provide a sleek finish and contribute to a unique design look at home or in any hotelroom.

Thanks to a symmetrical profile, the system can be mounted "blind" to the ceiling. This provides an extra sleek finish. The track is easy to mount by means of swivel supports or click supports.

The DS-XL® track system has been especially designed for use with our wave system, Forest Easyfold System. But it is also suitable with regular pleated curtain headings.

## PRODUCT INFORMATIE


- Elegant and aesthetical corded curtain track system.
- For all types of medium weight draperies.
- Quick and easy installation.
- Ceiling brackets and wall brackets available.
- Invisible ceiling brackets to fix track flush to ceiling available.
- Heavy duty carriers - uv protected - for smooth and easy traversing.
- Colours available: white, grey or anthracite with matching assembly components.
- Available length: standard stock size 6 meter (19.8").
- Especially designed for use in combination with our wave pleat system 'Forest Easyfold System'.
- Unique warranty: 10 years.





## PROFILE

- Shown actual size 1:1
- Weight: 480 gr/meter
- Aluminium extrusion
- Size: 60 x 15 mm
- Colours: white, grey, anthracite



## COLOUR OPTIONS

De DS-XL® is available in three colours: white, grey and anthracite.



## FOR USE IN

Hotels, offices, residences, boats, campers, planes or anywhere an efficient and elegant track system is required for curtains and drapes.





*Easyflex tape application on DS-XL® track.*










## FOREST EASYFOLD SYSTEM




Opt for a regular pleated heading or choose for a more atmospheric effect for the Forest Easyfold System. The FMS® system has been designed for use with the Forest Wave-system. Our wave system is designed so that the curtains maintain their folding effect from the moment they are dressed.

For more information about our wave system and basic components please refer to our Forest Easyfold brochure.





| CKS<br>corded | CCS<br>corded | CRS<br>corded | DS-XL<br>corded | CKS TRACK+<br>PARTS                                                                 | ARTICLE                                                                                                                                                                                                    | PACKING UNIT                                              | ART.NR                                                             |
|---------------|---------------|---------------|-----------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|--------------------------------------------------------------------|
| ●             |               |               |                 |    | CKS TRACK<br>4 mtr.<br>5 mtr.<br>5 mtr.<br>5 mtr.<br>6 mtr.                                                                                                                                                | 20/bundle<br><br>white<br>white<br>grey<br>black<br>white | 1501001400<br>1501001500<br>1501003500<br>1501006500<br>1501001600 |
| ●             |               |               |                 |    | CARRIER ASYMMETRICAL<br>"Clickable", offset, constructed of UV re-<br>sistant plastic. 10 Carriers on a break-away<br>strip. Can be clicked in after installation.<br>Also symmetrical carriers available. | 500/box<br><br>white<br>grey<br>black                     | 1010001000<br>1010003000<br>1010006000                             |
| ●             |               |               |                 |    | CKS MASTER CARRIER UNDERLAP R/L<br>Will go through curves.                                                                                                                                                 | 25/box<br><br>white<br>grey<br>black                      | 1515601000<br>1515603000<br>1515606000                             |
| ●             |               |               |                 |    | CKS MASTER CARRIER OVERLAP R/L<br>Will go through curves.                                                                                                                                                  | 25/box<br><br>white<br>grey<br>black                      | 1515701000<br>1515703000<br>1515706000                             |
| ●             |               |               |                 |    | CKS PULLEY<br>Reversible, for two way draw.                                                                                                                                                                | 25/box<br><br>white<br>grey<br>black                      | 1530101000<br>1530103000<br>1530106000                             |
| ●             |               |               |                 |    | CKS END PULLEY SHORT<br>Especially for one-way closing of<br>the curtain.                                                                                                                                  | 25/box<br><br>white<br>grey<br>black                      | 1530101011<br>1530103011<br>1530106011                             |
| ●             |               |               |                 |  | CKS TRACK JOINER                                                                                                                                                                                           | 10/box<br><br>white<br>grey<br>black                      | 1018401010<br>1018403010<br>1018406010                             |
| ●             |               |               |                 |  | CKS CORD CONNECTOR<br>Connects cord to the CKS Master Carrier.                                                                                                                                             | 100/box<br><br>white<br>black                             | 1530301000<br>1530306000                                           |
|               |               |               |                 |                                                                                     | CKS CORD Connector Half Connects cord<br>to the CKS Master Carrier.                                                                                                                                        | 100/box<br><br>white                                      | 1530311000                                                         |
| ●             | ●             | ●             | ●               |  | TRAVERSE CORD<br>Polyester drapery cord designed for smooth<br>slide, Ø 3.5 mm (0,14"), 16 ply.<br>Suitable for CKS / CCS / CRS /<br>DS-XL Corded                                                          | 250 mtr/roll<br><br>white<br>grey<br>black                | 1030401000<br>1030403000<br>1030406000                             |



| CKS<br>corded | CCS<br>corded | CRS<br>corded | DS-XL<br>corded | CCS TRACK+<br>PARTS                                                                 | ARTICLE                                                                                       | PACKING UNIT                                                       | ART.NR                                                                           |
|---------------|---------------|---------------|-----------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------|----------------------------------------------------------------------------------|
|               | ●             |               |                 |  | CCS TRACK<br>3.66 mtr.<br>4.27 mtr.<br>4.88 mtr.<br>6.10 mtr.<br>6.10 mtr.<br>6.10 mtr.       | 10/bundle<br><br>white<br>white<br>white<br>white<br>grey<br>black | 3001001366<br>3001001427<br>3001001488<br>3001001610<br>3001003610<br>3001006610 |
|               | ●             |               |                 |  | CCS CARRIER SMALL<br>Contract click carrier patented,<br>clickable. UV-resistant POM plastic. | 250/box<br><br>white<br>grey<br>black                              | 2510101000<br>2510103000<br>2510106000                                           |
|               | ●             |               |                 |  | FMS/CCS/MRS WHEEL CARRIER<br>The wheel carrier goes smoothly over a<br>splice.                | 100/box<br><br>white                                               | 5210101002                                                                       |


|  |  |  |  |                                                                                                                                                                               |                                                                                                                                                                 |              |                                |                                                      |
|--|--|--|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------------|------------------------------------------------------|
|  |  |  |  |                                                                                              | CCS CORD MASTER CARRIER R/L<br>OVERLAP Multifunctional - reversible arm -<br>will go through curves, will also fit stiffeners<br>and cord connector.            | 15/box       | white<br>grey<br>gold<br>black | 3015701000<br>3015703000<br>3015702000<br>3015706000 |
|  |  |  |  |                                                                                              | CCS MASTER CARRIER UNIVERSAL R/L                                                                                                                                | 15/box       | white<br>grey<br>black         | 3015601000-U<br>3015603000-U<br>3015606000-U         |
|  |  |  |  |                                                                                              | CCS/FMS MASTER CARRIER UNIVERSAL<br>R/L (SINGLE LONG)                                                                                                           | 15/box       | white<br>grey<br>black         | 3016001000-U<br>3016003000-U<br>3016006000-U         |
|  |  |  |  |                                                                                              | EASYFLEX MASTER CARRIER 90 DEGREE<br>LEFT<br>for center draw                                                                                                    | 15/box       | white<br>black                 | 4815351090<br>4815356090                             |
|  |  |  |  |                                                                                              | EASYFLEX MASTER CARRIER 90 DEGREE<br>RIGHT<br>for center draw                                                                                                   | 15/box       | white<br>black                 | 4815451090<br>4815456090                             |
|  |  |  |  |                                                                                              | PROLONGED ARM FOR MASTER CARRIER<br>150 mm long Click On<br>150 mm long Click On<br>200 mm long Click On                                                        | 15/box       | white<br>black<br>white        | 9500001010<br>9500006010<br>9500001020               |
|  |  |  |  |                                                                                              | CCS PULLEY<br>Voor middensluitend pakket                                                                                                                        | 25/box       | white<br>grey<br>black         | 3030101000<br>3030103000<br>3030106000               |
|  |  |  |  |                                                                                              | INSIDE WALL BRACKET<br>For additional support anywhere<br>the pulley meets the wall.                                                                            | 25/box       |                                | 3022301000                                           |
|  |  |  |  |                                                                                            | END PULLEY SMALL<br>Reversible, for non-stacking side<br>on one way draw.                                                                                       | 25/box       | white<br>grey<br>black         | 3030201000<br>3030203000<br>3030206000               |
|  |  |  |  |                                                                                            | CCS RAIL CONNECTOR                                                                                                                                              | 10/box       | white<br>grey<br>black         | 2518401000<br>2518403000<br>2518406000-A             |
|  |  |  |  |                                                                                            | CCS CORD CONNECTOR<br>Connects cord to the CCS master carrier.                                                                                                  | 100/box      | white<br>grey<br>black         | 3030301000<br>3030303000<br>3030306000               |
|  |  |  |  |                                                                                            | CCS DOUBLE CORD CONNECTOR<br>Connects cord to the CCS master carrier.                                                                                           | 20/box       | white<br>grey<br>black         | 3030301010<br>3030303010<br>3030306010               |
|  |  |  |  |  | TRAVERSE CORD<br>Polyester drapery cord designed for strong<br>smooth slide, Ø 3.5 mm (0,14"), 16 ply.<br>Suitable for CKS/CCS/CRS/DS-XL Corded<br>DS-XL Corded | 250 mtr/roll | white<br>grey<br>black         | 1030401000<br>1030403000<br>1030406000               |









| CKS<br>corded | CCS<br>corded | CRS<br>corded | DS-XL<br>corded | CRS TRACK+<br>PARTS                                                                                                                                                              | ARTICLE                                                                                                    | PACKING UNIT  |                                                                                 | ART.NR                                                                                                     |
|---------------|---------------|---------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
|               |               |               |                 |  | CRS CHANNEL ROD CORDED Ø 28 mm<br>(1.1") Extruded aluminium, chromated,<br>powder coated incl. inlay strip | 5.80 mtr/tube | white<br>gold-an<br>inox-an<br>inox-pc<br>antique-pc<br>anthracite-pc<br>chrome | 5811281580-PC<br>5811282580<br>5811283580<br>5811283580-PC<br>5811289580-PC<br>5811286580-PC<br>5701287520 |
|               |               |               |                 |                                                                                               | CRS CARRIER ROUND                                                                                          | 500/box       | white<br>grey<br>black                                                          | 5810101000<br>5810103000<br>5810106000                                                                     |
|               |               |               |                 |                                                                                               | CRS ADJUSTABLE WALL BRACKET<br>8CM INCL. COVER                                                             | 10/box        | white<br>inox-pc<br>taupe<br>anthracite<br>antique<br>white                     | 5830001080<br>5830003080<br>5830004080<br>5830005080<br>5830009080<br>5830001120                           |
|               |               |               |                 |                                                                                               | 12CM INCL. COVER                                                                                           |               | inox-pc<br>taupe<br>anthracite<br>antique                                       | 5830003120<br>5830004120<br>5830005120<br>5830009120                                                       |



















| CKS<br>corded | CCS<br>corded | CRS<br>corded | DS-XL<br>corded | CRS TRACK+<br>PARTS                                                                 | ARTICLE                                                                                                                                       | PACKING UNIT                                                                            | ART.NR                                                                                                        |
|---------------|---------------|---------------|-----------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
|               |               | ●             |                 |    | EASYFOLD PLASTIC MASTER UNDERLAP                                                                                                              | 25/box<br>white<br>grey<br>black<br>transparent                                         | 4815201010<br>4815203010<br>4815206010<br>4815201000                                                          |
|               |               | ●             |                 |    | EASYFOLD PLASTIC MASTER STRAIGHT/<br>OVERLAP                                                                                                  | 25/box<br>white<br>grey<br>black<br>transparent                                         | 4815101010<br>4815103010<br>4815106010<br>4815101000                                                          |
|               |               | ●             |                 |    | FMS MASTER CARRIER UNIVERSAL R/L<br>"CLICK-ON"                                                                                                | 15/box<br>white<br>grey<br>black                                                        | 5215801010-U<br>5215803010-U<br>5215806010-U                                                                  |
|               |               | ●             |                 |    | CRS CORDED END PULLEY COMPLETE                                                                                                                | 2/box<br>white<br>gold<br>inox-an<br>inox-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc | 6130201001-PC<br>6130202001<br>6130203001<br>6130203001-PC<br>6130209001-PC<br>6130204001-PC<br>6130206001-PC |
|               |               | ●             |                 |    | CRS CORDED CENTRE PULLEY<br>COMPLETE                                                                                                          | 2/box<br>white<br>inox-an<br>inox-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc         | 6130251001-PC<br>6130253001<br>6130253001-PC<br>6130259001-PC<br>6130254001-PC<br>6130256001-PC               |
|               |               | ●             |                 |    | CRS RAIL CONNECTOR (6 CM)                                                                                                                     | 10/box                                                                                  | 5815200006                                                                                                    |
|               |               | ●             |                 |    | CRS CORNER CONNECTOR (5 CM)                                                                                                                   | 10/box                                                                                  | 5815200007                                                                                                    |
|               | ●             | ●             |                 |  | CCS CORD CONNECTOR                                                                                                                            | 100/box<br>white<br>grey<br>black                                                       | 3030301000<br>3030303000<br>3030306000                                                                        |
|               | ●             | ●             |                 |  | CCS DOUBLE CORD CONNECTOR                                                                                                                     | 100/box<br>white<br>grey<br>black                                                       | 3030301010<br>3030303010<br>3030306010                                                                        |
| ●             | ●             | ●             | ●               |  | TRAVERSE CORD<br>Polyester drapery cord designed for smooth<br>slide, Ø 3.5 mm (0,14"), 16 ply.<br>Suitable for CKS / CCS / CRS / DS-XL Coded | 250 mtr/roll<br>white<br>grey<br>black                                                  | 1030401000<br>1030403000<br>1030406000                                                                        |
|               |               | ●             |                 |  | CRS METAL ENDSTOP WITH SCREW<br>for 20 mm (0,8")<br>for 28 mm (1.1")                                                                          | 100/box                                                                                 | 5816101000<br>5816101001                                                                                      |
|               |               | ●             |                 |  | CRS METAL ENDSTOP WITH SCREW-EYE                                                                                                              | 100/box<br>for 20 mm (0,8")<br>for 28 mm (1.1")<br>for 20 mm long                       | 5816102000<br>5816102001<br>5816102002                                                                        |

| CKS<br>corded | CCS<br>corded | CRS<br>corded | DS-XL<br>corded | DS-XL TRACK+<br>PARTS                                                               | ARTICLE                                      | PACKING UNIT                                 | ART.NR                                 |
|---------------|---------------|---------------|-----------------|-------------------------------------------------------------------------------------|----------------------------------------------|----------------------------------------------|----------------------------------------|
|               |               |               | ●               |  | DS-XL RAIL, 6 mtr (19"8")                    | 24 mtr/bundle<br>white<br>grey<br>anthracite | 3916101600<br>3916103600<br>3916106600 |
|               |               |               | ●               |  | ECONOMY CARRIER SMALL                        | 500/box<br>white<br>black                    | 3910101000<br>3910106000               |
|               |               |               | ●               |  | EASYFLEX PLASTIC MASTER CARRIER<br>90 DEGREE | 15/box<br>white<br>grey<br>black             | 3916701000<br>3916703000<br>3916706000 |
|               |               |               | ●               |  | DS-XL ENDCAP CORDED                          | 20/box<br>white<br>grey<br>black             | 3916201000<br>3916205000<br>3916206000 |









|  |  |  |  |                                                                                   |                                                                                                                                             |              |                        |                                        |
|--|--|--|--|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------|----------------------------------------|
|  |  |  |  |  | DS-XL TRACK CONNECTOR STRAIGHT                                                                                                              | 10/box       |                        | 3916401000                             |
|  |  |  |  |  | DS-XL CORD CONNECTOR                                                                                                                        | 100/box      | white<br>black         | 1530301000<br>1530306000               |
|  |  |  |  |  | TRAVERSE CORD<br>Polyester drapery cord designed for smooth slide, Ø 3.5 mm (0,14"), 16 ply.<br>Suitable for CKS / CCS / CRS / DS-XL Corded | 250 mtr/roll | white<br>grey<br>black | 1030401000<br>1030403000<br>1030406000 |
|  |  |  |  |  | DS-XL END STOP                                                                                                                              | 100/box      |                        | 3916001000                             |

| CKS<br>corded | CCS<br>corded | CRS<br>corded | DS-XL<br>corded | MOUNTING                                                                            | ARTICLE                                                                                                                                                      | PACKING UNIT |                                          | ART.NR                                                             |
|---------------|---------------|---------------|-----------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------------------------|--------------------------------------------------------------------|
|               |               |               |                 |    | CEILING BRACKET<br>Slides onto the track, powder coated.<br>Regular duty                                                                                     | 100/box      | white<br>grey<br>black<br>beige          | 1018001000<br>1018003000<br>1018006000<br>1018012000               |
|               |               |               |                 |    | CEILING BRACKET WITH SLOT<br>Slides onto the track, powder coated.<br>Regular duty<br>Slotted support makes fixing curtain track easier.                     | 100/box      | white<br>grey<br>black<br>creme<br>beige | 1018101000<br>1018103000<br>1018106000<br>1018111000<br>1018112000 |
|               |               |               |                 |  | SMART KLICK CEILING BRACKET<br>Powder coated, "klicks" onto track.<br>Attach with VK-4 mm screw.                                                             | 100/box      | white<br>grey<br>black                   | 1018201000<br>1018203000<br>1018206000                             |
|               |               |               |                 |  | SMART KLICK CEILING BRACKET<br>INCL. COVER CAP                                                                                                               | 100/box      | white<br>grey<br>black                   | 1018201001<br>1018203001<br>1018206001                             |
|               |               |               |                 |  | COVER CAP FOR SMART KLICK<br>BRACKETS<br>Suitable for Smart Klick Wall-and Ceiling<br>bracket.                                                               | 100/box      | white<br>grey<br>black<br>anthracite     | 1019201000<br>1019203000<br>1019206000<br>1019206600               |
|               |               |               |                 |  | FALSE CEILING BRACKET (METAL)<br>For installation on to a suspended (system)<br>ceiling. The track can be fixed in any angle<br>as the bracket is rotatable. | 25/box       | white<br>black                           | 4519001000<br>4519006000                                           |
|               |               |               |                 |  | SMART KLICK DOUBLE CEILING<br>BRACKET LARGE<br>Distance between two tracks: 90 mm<br>(3,5")                                                                  | 30/box       | white                                    | 1018601000                                                         |
|               |               |               |                 |                                                                                     | SMART KLICK DOUBLE CEILING BRACKET<br>SHORT Distance between two tracks:<br>45 mm (1,8")                                                                     |              |                                          | 1018611000                                                         |
|               |               |               |                 |  | FSS MOUNTING BRACKET<br>For concealed installation or ceiling<br>installation in narrow spaces.<br>Heavy Duty.                                               | 100/box      |                                          | 7160001000                                                         |
|               |               |               |                 |  | KS CEILING SPLICE BRACKET<br>For ceiling installation only, powder coated.                                                                                   | 50/box       | white<br>grey<br>black                   | 1018501000<br>1018503000<br>1018506000                             |
|               |               |               |                 |  | KS KLICK-ON CEILING BRACKET WHITE<br>For concealed installation without visible<br>brackets, light weight use only.                                          | 100/box      | white<br>grey<br>black                   | 1018301000<br>1018303000<br>1018306000                             |

| CKS<br>corded | CCS<br>corded | CRS<br>corded | DS-XL<br>corded | MOUNTING                                                                            | ARTICLE                                                                                                                | PACKING UNIT                      | ART.NR                                 |
|---------------|---------------|---------------|-----------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-----------------------------------|----------------------------------------|
| ●             | ●             |               |                 |    | SMART KLICK WALL BRACKET 3,5 cm<br>"Klicks onto track, powder coated. One screw attachment. For light weight use only. | 50/box<br>white<br>grey<br>black  | 1020201035<br>1020203035<br>1020206035 |
|               |               |               |                 |                                                                                     | SMART KLICK WALL BRACKET 6 cm<br>"Klicks onto track, powder coated. One screw attachment. For light weight use only.   | white<br>grey<br>black            | 1020201060<br>1020203060<br>1020206060 |
|               |               |               |                 |                                                                                     | SMART KLICK WALL BRACKET 7,5 cm<br>"Klicks onto track, powder coated. One screw attachment. For light weight use only. | white<br>grey<br>black            | 1020201075<br>1020203075<br>1020206075 |
| ●             | ●             |               |                 |    | KS SMART KLICK WALL BRACKET 10 cm                                                                                      | 20/box<br>white<br>grey           | 1020201100<br>1020203100               |
|               |               |               |                 |                                                                                     | KS SMART KLICK WALL BRACKET 12,5 cm                                                                                    | 20/box<br>white<br>grey           | 1020201125<br>1020203125               |
|               |               |               |                 |                                                                                     | KS SMART KLICK WALL BRACKET 15 cm                                                                                      | 15/box<br>white<br>grey           | 1020201150<br>1020203150               |
|               |               |               |                 |                                                                                     | KS SMART KLICK WALL BRACKET 20 cm                                                                                      | 15/box<br>white<br>grey           | 1020201200<br>1020203200               |
|               |               |               |                 |                                                                                     | KS SMART KLICK WALL BRACKET 25 cm                                                                                      | 10/box<br>white<br>grey           | 1020201250<br>1020203250               |
|               |               |               |                 |                                                                                     | KS SMART KLICK WALL BRACKET 30 cm                                                                                      | 10/box<br>white<br>grey           | 1020201300<br>1020203300               |
| ●             | ●             |               |                 |    | KS SMART KLICK WALL BRACKET DOUBLE<br>For light weight use only.                                                       | 15/box<br>10 cm<br>15 cm<br>20 cm | 1020601100<br>1020601150<br>1020601200 |
|               |               |               |                 |                                                                                     |                                                                                                                        |                                   |                                        |
| ●             | ●             |               |                 |   | KS ADJUSTABLE WALL BRACKET, SINGLE                                                                                     | 100/box<br>white<br>grey          | 1020801115<br>1020803115               |
|               |               |               |                 |                                                                                     |                                                                                                                        |                                   |                                        |
| ●             | ●             |               |                 |  | KS ADJUSTABLE WALL BRACKET, DOUBLE                                                                                     | 50/box<br>white<br>grey           | 1020801195<br>1020803195               |
|               |               |               |                 |                                                                                     |                                                                                                                        |                                   |                                        |
| ●             | ●             |               |                 |  | ALUMINIUM SK WALL BRACKET 7,5 CM SINGLE.<br>"Klicks onto track, powder coated.                                         | 20/box<br>white<br>grey<br>black  | 1020301075<br>1020303075<br>1020306075 |
|               |               |               |                 |                                                                                     | ALUMINIUM SK AFSTANDSTEUN 10 cm ENKEL.<br>"Klicks onto track, powder coated.                                           | 20/box<br>white<br>grey<br>black  | 1020301100<br>1020303100<br>1020306100 |
|               |               |               |                 |                                                                                     | ALUMINIUM SK AFSTANDSTEUN 15 cm DUBBEL. "Klicks onto track, powder coated.                                             | 15/box<br>white<br>grey<br>black  | 1020301150<br>1020303150<br>1020306150 |
|               |               |               |                 |                                                                                     | KS ALUMINIUM SK AFSTANDSTEUN 20 cm DUBBEL. "Klicks onto track, powder coated.                                          | 15/box<br>white<br>grey<br>black  | 1020301200<br>1020303200<br>1020306200 |
|               |               |               |                 |                                                                                     | ALUMINIUM SK AFSTANDSTEUN 25 cm TRIPLE.<br>"Klicks onto track, powder coated.                                          | 10/box<br>white<br>grey<br>black  | 1020301250<br>1020303250<br>1020305250 |
| ●             | ●             |               |                 |  | SMART KLICK COVER CAP ALUMINIUM BRACKET UNIVERSAL                                                                      | 50/box<br>white<br>grey<br>black  | 1021301000<br>1021303000<br>1021306000 |
|               |               |               |                 |                                                                                     |                                                                                                                        |                                   |                                        |
|               |               | ●             |                 |  | CRS CEILING BRACKET Ø 20/28 MM with slot                                                                               | 100/box<br>aluminium              | 5818003000                             |
|               |               | ●             |                 |  | CRS CEILING BRACKET Ø 20/28 MM with hole                                                                               | 100/box<br>white<br>inox          | 5818003101<br>5818003103               |
|               |               | ●             |                 |  | MRS CEILING BRACKET SMALL, 1,5 CM                                                                                      | 4/box<br>chrome                   | 5718407050                             |

| CKS<br>corded | CCS<br>corded | CRS<br>corded | DS-XL<br>corded | MOUNTING                                                                            | ARTICLE                                                    | PACKING UNIT                                                                                               | ART.NR                                                                                                                                    |
|---------------|---------------|---------------|-----------------|-------------------------------------------------------------------------------------|------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
|               |               | ●             |                 |    | CRS SWIVEL FOR 28 MM ROD                                   | 100/box                                                                                                    | 5863001000                                                                                                                                |
|               |               | ●             |                 |    | CRS CEILING SUSPENSION BRACKET<br>4 CM (1.57'') Ø 20/28 MM | 2/box<br>white<br>gold<br>inox-an<br>inox-pc<br>black<br>antique-pc<br>anthracite-pc<br>chrome             | 5818112000<br>5818122000<br>5818132000<br>5818132000-PC<br>5818162000-PC<br>5818192000-PC<br>5818152000-PC<br>5818012028                  |
|               |               | ●             |                 |    | CRS CEILING SUSPENSION BRACKET<br>5 CM (1.96'') Ø 20/28 MM | 2/box<br>white<br>gold<br>inox-an<br>inox-pc<br>antique-pc                                                 | 5818112028<br>5818122028<br>5818132028<br>5818132028-PC<br>5818192028-PC                                                                  |
|               |               | ●             |                 |    | CRS WALL BRACKET SINGLE 8 CM<br>(3.15'') Ø 28 MM           | 2/box<br>white<br>gold<br>inox-an<br>inox-pc<br>black<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome | 5820080128<br>5820080228<br>5820080328<br>5820080328-PC<br>5820080628-PC<br>5820080928-PC<br>5820080428-PC<br>5820080528-PC<br>5820080728 |
|               |               | ●             |                 |    | CRS WALL BRACKET SINGLE 12 CM<br>(4.72'') Ø 28 MM          | 2/box<br>white<br>gold<br>inox-an<br>inox-pc<br>black<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome | 5820120128<br>5820120228<br>5820120328<br>5820120328-PC<br>5820120628-PC<br>5820120928-PC<br>5820120428-PC<br>5820120528-PC<br>5820120728 |
|               |               | ●             |                 |  | CRS WALL BRACKET SINGLE 16 CM<br>(6.29'') Ø 28 MM          | 2/box<br>white<br>gold<br>inox-an<br>inox-pc<br>black<br>antique-pc<br>taupe-pc<br>anthracite-pc           | 5820160128<br>5820160228<br>5820160328<br>5820160328-PC<br>5820160628-PC<br>5820160928-PC<br>5820160428-PC<br>5820160528-PC               |
|               |               | ●             |                 |  | CRS WALL BRACKET DOUBLE 16 CM<br>(6.29'') Ø 28 MM          | 2/box<br>white<br>gold<br>inox-an<br>inox-pc<br>black<br>antique-pc<br>taupe-pc<br>anthracite-pc           | 5822160128<br>5822160228<br>5822160328<br>5822160328-PC<br>5822160628-PC<br>5822160928-PC<br>5822160428-PC<br>5822160528-PC               |
|               |               | ●             |                 |  | CRS WALL BRACKET EXTENSION 4 CM                            | 10/box<br>white<br>gold<br>inox-an<br>inox-pc<br>black<br>antique-pc<br>anthracite-pc<br>chrome            | 5815201030<br>5815202030<br>5815203030<br>5815203030-PC<br>5815206030-PC<br>5815209030-PC<br>5815205030-PC<br>5715107040                  |
|               |               | ●             |                 |  | CRS WALL BRACKET EXTENSION 8 CM                            | gold<br>inox-an<br>inox-pc<br>black<br>antique-pc<br>chrome                                                | 5815102020<br>5815103020<br>5815103020-PC<br>5815106020-PC<br>5815109020-PC<br>5715107080                                                 |
|               |               | ●             |                 |  | CRS ADJUSTABLE BRACKET EXTENSION                           | 10/box<br>white<br>inox-an<br>inox-pc<br>black<br>antique-pc                                               | 5815101070<br>5815103070<br>5815103070-PC<br>5815106070-PC<br>5815109070-PC                                                               |
|               |               |               | ●               |  | DS-XL KLIK CEILING BRACKET                                 | 100/box                                                                                                    | 3918301000                                                                                                                                |
|               |               |               | ●               |  | DS-XL CEILING SWIVEL BRACKET                               | 100/box<br>white<br>anthracite                                                                             | 3818200230<br>3818205230                                                                                                                  |
|               |               |               | ●               |  | DS-XL WALL BRACKET 9 CM                                    | 5/box<br>white<br>anthracite                                                                               | 3820001018<br>3820005018                                                                                                                  |



| CKS<br>corded | CCS<br>corded | CRS<br>corded | DS-XL<br>corded | BENDING PARTS AND<br>OTHER ITEMS                                                    | ARTICLE                                                                                                                                                                                      | PACKING UNIT                     | ART.NR                                 |
|---------------|---------------|---------------|-----------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|----------------------------------------|
| ●             | ●             | ●             | ●               |    | TENSION PULLEY White                                                                                                                                                                         | 25/box                           | 1030501000                             |
| ●             | ●             | ●             | ●               |    | ASSEMBLY TOOL FOR CORD<br>CONNECTOR                                                                                                                                                          | 1/each                           | 9510000027                             |
| ●             | ●             | ●             | ●               |    | CORD/CHAIN WALL MOUNT SAFETY<br>BOX SINGLE                                                                                                                                                   | 25/box                           | 3645702000                             |
| ●             | ●             | ●             | ●               |    | CORD/CHAIN WEIGHT DESIGN<br>110 GR WIT                                                                                                                                                       | 10/box<br>white<br>grey<br>black | 3030701000<br>3030703000<br>3030706000 |
| ●             | ●             | ●             | ●               |    | CHANNEL ROD LUBRICANT SPRAY<br>To lubricate components during assembly.                                                                                                                      | 1/each                           | 5109020000                             |
| ●             |               |               |                 |    | COMPACT BENDING HOUSE,<br>FOR KS/CKS                                                                                                                                                         | 1/box                            | 1050000000                             |
|               |               |               |                 |                                                                                     | CKS BENDING WHEEL ALL-IN incl. strips<br>(60cm)                                                                                                                                              |                                  | 1051000000                             |
| ●             |               |               |                 |   | CONTINUOUS CURVER<br>Add on tool for the Compact Bending Tool.<br>Designed to create continuous curves and<br>arches in any radius. Includes KS bending<br>strip. For KS and CKS Track only. | 1/box                            | 1060200000                             |
| ●             | ●             |               |                 |  | ELECTRIC POWERED BENDER<br>For creating continuous curves.<br>Minimum radius 50 cm.                                                                                                          | 1/box<br>230V<br>110V            | 1060500000<br>1060500001               |
| ●             |               |               |                 |  | CKS REPLACEMENT BENDING STRIP<br>For Compact Bending Tool.<br>Length of strip: 60 cm (23")                                                                                                   | 1/each                           | 1560100000                             |
|               |               |               |                 |                                                                                     | For Continues Curver / electric<br>bender. Length of strip: 7 mtr. (23")                                                                                                                     |                                  | 1560300000                             |
| ●             |               |               |                 |  | BENDING WHEELS<br>For electric powered bender.<br>Complete set of 3 wheels.                                                                                                                  | 1/set                            |                                        |
|               |               |               |                 |                                                                                     | For KS/CKS track.<br>For CS/CCS track.                                                                                                                                                       |                                  | 1060700000<br>2560700000               |
| ●             | ●             |               |                 |  | ELECTRIC POWERED RAILCUTTER<br>230 Volt EU                                                                                                                                                   | 1/each                           | 1061100000                             |
|               |               |               |                 |                                                                                     | BLADE FOREST CUTTER NEW MODEL                                                                                                                                                                | 1/each                           | 1061200001                             |
|               | ●             |               |                 |  | CONTRACT BENDING TOOL<br>For CS/CCS/FMS/CRS/MTS                                                                                                                                              | 1/each                           | 2560000000                             |
|               |               |               |                 |                                                                                     | CS/CCS/FMS Bending Wheel                                                                                                                                                                     | 1/each                           | 2561000000                             |
|               | ●             |               |                 |  | CCS BENDING STRIPS, COMPLETE SET<br>For CCS track, length: 90 cm.                                                                                                                            | 1/set                            | 8500000002                             |
|               |               |               |                 |                                                                                     | FOR CCS ELECTRIC POWERED BENDER.<br>Length 7 meter (23').                                                                                                                                    | 1/each                           | 8500000010                             |
|               | ●             |               |                 |  | BENDING STANDARD<br>Standard for Contract bending tool<br>28 mm                                                                                                                              | 1/each                           | 2560800000                             |
|               | ●             |               |                 |  | BENDING WHEELS<br>For Electric Powered Bender.<br>Complete set of 3 wheels only for<br>CS en CCS rail.                                                                                       | 1/set                            | 2560700000                             |