

# **FOREST DESIGN Series**

The DS-XL<sup>®</sup> Series is designed to create visual impact and provides superior functionality and ease of use to the end-user. Available as manual, corded or motorised operated curtain track system.

000000

FOREST DS® FOREST DS-XL® FOREST DS-XL® Motorised FOREST DS-XL® LED FOREST DS-XL® LED Motorised

THE WORLD BEHIND YOUR CURTAINS

reddot winner 2021

# **FOREST DS® - DESIGN SYSTEM**



The DS<sup>®</sup> curtain track system is for fans of a sleek curtain track. This manually operated curtain track system fits into any stylish interior with an eye for design.

The DS<sup>®</sup> system has the same dimensions as the Klick System (KS<sup>®</sup>). This makes it possible to use all KS<sup>®</sup> assembly components (except the end caps). The height of the track is 11 mm and a "belly" has been created at the front so that the brackets can be mounted out of sight.

The DS<sup>®</sup> track can also be bent, making it extremely suitable for semicircular bay windows.

### **PRODUCT INFORMATION**

- Elegant and aesthetically pleasing hand drawn track system.
- For all types of medium weight draperies (max.curtain weight 8kg per meter).
- Colours available: white, grey, anthracite and black.
- Available lengths in white: 4, 5, 6 en 7 meter (grey in 6 & anthracite and black in 6 meter).
- Bendable; designer curtain track can be curved for outside bends only using a 10 cm radius or continuous curved.
- Matching assembly components for white, grey and black.
- Invisible ceiling brackets to fix track flush to ceiling available.
- Quick installation with "Smart Klick" brackets for wall and ceiling applications.
- Same brackets as used with Klick System.
- Heavy duty clickable carriers UV protected for smooth and easy traversing.
- Especially designed for use in combination with Forest Easyfold System for wave pleat application.
- Track finish: chromated powder coating with a factory applied patented dry lubricant.
- Warranty: 10 years.

1


- 1 DS Track
- 2 DS Carrier
- 3 DS Stop carrier
- 4 DS Twist end stop
- 5 DS End cap

#### FOR USE IN

Residential and/or contract market or at any location where an elegant high quality design curtain track is required.

## SPECIFICATIONS

- Shown actual size 1:1
- Weight:170 gr/meter
- Aluminium Extrusion
- Size: 11 x 24 mm
- Colours: white, grey, black




### **BENDING / CURVING**

The track can be curved and reversed curved using a 10 cm (4") radius. Continuous curving is available by special order form factory only.




### MOUNTING


Smart Klick Aluminium wall bracket singleA) 7,5 cmB) 6,3 cmA) 10 cmB) 8,8 cm



#### Smart Klick Aluminium wall bracket double




# Smart Klick Aluminium wall bracket tripleA) 25 cmB) 9,3 cmC) 5 cm



## **APPLICATIONS**

Clickable carrier



Clickable bracket

# **FOREST DS-XL®**



With the DS-XL<sup>®</sup> Series, Forest offers curtain tracks that optimally combines design and functionality. The Design System XL gives every interior an extra visual appearance.

Stylish curtains deserve an elegant and fashionable curtain track. The DS-XL<sup>®</sup> Series provide a sleek finish and contribute to a unique design look at home or in any hotelroom.

Thanks to a symmetrical profile, the system can be mounted "blind" to the ceiling. This provides an extra sleek finish. The track is easy to mount by means of swivel supports or click supports.

The DS-XL<sup>®</sup> track system has been especially designed for use with our wave system, Forest Easyfold System. But it it is also suitable with regular pleated curtain headings.

### **PRODUCT INFORMATION**

- Elegant and aesthetical hand drawn and corded curtain track system.
- For all types of medium weight draperies.
- Quick and easy installation.
- Ceiling brackets and wall brackets available.
- Invisible ceiling brackets to fix track flush to ceiling available.
- Heavy duty carriers uv protected for smooth and easy traversing.
- Colours available: white, grey or anthracite with matching assembly components.
- Available length: standard stock size 6 meter (19.8").
- Especially designed for use in combination with our wave pleat system 'Forest Easyfold System' .
- Warranty: 10 years.




#### FOR USE IN

Hotels, offices, residences, boats, campers, planes or anywhere an efficient and elegant track system is required for curtains and drapes.

### PROFILE

- Shown actual size 1:1
- Weight: 480 gr/meter
- Aluminium extrusion
- Size: 60 x 15 mm
- Colours: white, grey, anthracite





## FOREST EASYFOLD SYSTEM

Opt for a regular pleated heading or choose for a more atmospheric effect for the Forest Easyfold System. The FMS® system has been designed for use with the Forest Wavesystem. Our wave system is designed so that the curtains maintain their folding effect from the moment they are dressed.

For more information about our wave system and basic components please refer to our Forest Easyfold brochure.

#### **COLOUR OPTIONS**

De DS-XL $^{\otimes}$  is available in three colours: white, grey and anthracite.



# **FOREST DS-XL<sup>®</sup> LED / Motorised**



This unique drapery system combines a stylish design with a unique way of lighting. Many designers will work with a lighting plan with three levels: High, especially if the ceiling is vaulted or has been finished with a special material; medium, which includes wall sconces; and low, which means floor lamps and other small lights. Our DS-XL<sup>®</sup> LED is the solution for a lighting plan on a higher level, integrating our track to create an overall glow on the ceiling.

The DS-XL® LED is an elegant system for all types of medium weight draperies. Available length up to 6 meter in 2 colours: timeless white and in a stylish anthracite finish, making it suitable to fit in every design.

#### **Create privacy**

It also offers the possibility to illuminate the backside and/or the curtain track itself enabling a higher level of privacy.

#### SUSTAINABLE LIGHTING

Traditional ways of lighting are very wasteful. Most of the power is wasted in the form of heat. This is why there has been a big push to change the environmental impact of lighting. Another benefit of LED lighting is sustainability and eco-friendliness. The system doesn't use toxic chemicals and it can last for years. It has a life span of approximately 30.000 hours.

### **PRODUCT INFORMATION**

- Designer track for lighting and curtain track combined.
- Colours available: white and anthracite.
- Especially designed for Forest Wave application.
- Simple electrical installation by means of clickable connectors.
- Ceiling brackets and wall brackets available.
- One LED strip or two led strips for extra luminosity.
- LED Colour temperature: warm white 3000.
- Low energy consuming LED strip, eco friendly.
- Dimmable LED strips (120 LED's per meter).
- LED Lifespan of 30.000 hours.
- No soldering, clickable components for easy installation without the need for an electrician.
- Power: 15 watt/mtr (4.6 Watt/ft).
- Energy label A+.
- The DS-XL® LED Motorised system can be integrated into any building automation system.
- The motorised track system can be installed onto all Forest Shuttle<sup>®</sup> motors.
- Warranty: 10 years (except LED-lighting).



## **DS-XL® LED MOTORISED**

The DS-XL<sup>®</sup> LED Motorised track system is the latest innovation of the Forest Design Series. This brand new drapery system is designed to create visual impact and provides superior functionality and ease of use to the enduser. Controlling the curtains and integrated LED-lighting by remote control or building automation system guarantees a unique experience of atmosphere and comfort in any room.




### **RED DOT AWARD**


The DS-XL<sup>®</sup> LED Motorised track system has been awarded for the Red Dot Award 2021 for its outstanding product design. The Red Dot Award is one of the most internationally known and sought-after awards in the design industry.



### **SPECIFICATIONS**

- Shown actual size 1:1
- Size LED 61 x 20 mm
- Size LED Motorised 66 x 25 mm • Weight LED 580 gr/meter
- Weight LED Motorised 675 gr/meter
- Aluminium extrusion
- Colours available: white or anthracite







# **FOREST DS-XL® LED Control Options**

Our wide range of controls make finding a fit for your home even easier; controlling the curtains by hand, remote or even by building automation system. With the remote you can control the curtains in any position you like. Controlling the motorised curtain system by your smartphone or tablet, you can create and schedule customised room scenes that allow your curtains to operate on their own throughout the day.



#### FOREST DIAMOND SENSE REMOTE

15 or 2 Channel Remote control. Control up to 15 systems individually and in group by integrated timer function or manual. Auto-On mode, when holding hand above it, the integrated LED light will automatically come on. Radio control, range up to 30 meters. Including magnetic wall support.



#### FOREST WI-FI DONGLE

With the Shuttle<sup>®</sup> Wi-Fi dongle, you can control your motorised curtains with your mobile device by the Forest Connect app or even by voice command with the easy integration in for example Google Home or Amazon Echo without the need for an additional hub or gateway.



# FOREST WIRELESS


The Forest Wireless Connector is an easy way to make the motorised curtain systems 'smart'. This wireless remote solution works in combination with an analogue timer or a smart plug with which services as Apple HomeKit or Google Assistant or Amazon Alexa become available. It is also easily incorporated into most popular building management systems, including dry contact controls.



#### BUILDING AUTOMATION / HOTEL CONTROL

The DS-XL<sup>®</sup> System can be connected to any Building Automation system, by relay control.





In combination with a smart plug
 Only with FIBARO Roller Shutter 3 / Walli Roller Shutter
 In combination with an AC Control Set

## **WORKS WITH**





Voice



www.z-wave.com

CRESTRON.

www.crestron.com



Forest DS-XL $^{\otimes}$  is compatible with many other Building Automation systems, thanks to its modular construction. A competitive advantage over other motorised drapery systems in the world!

D1 TRACK WHITE         P0 embrande 100 mit/hande 2 mit/ 200 mit/hande 2 mit/ 2 mit							DS TRACK +	LED RISED	RISED LED	Q		
D5 TBACK WAITE         B0 met/pandi 100 met/pandi 200	NR	ART.NR		PACKING UNIT		ARTICLE		DS-XL I MOTOI	MOTORISI DS-XL LED	US-XL CORDE DS-XL	DS-XL	SQ
DS TRACK ANTRHACTE         120 mtr/bundle         6 mtr         2001           DS TRACK EXANCE TORS         100 mtr/bundle         6 mtr         2007           Finder CONTROLOGIE         100 mtr/bundle         6 mtr         2007           Finder CONTROLOGIE         50 mtr/bundle         50 mtr/bundle         1007	1001400 1001500 1001600 1001700	200100 <sup>2</sup> 200100 <sup>2</sup>	5 mtr 6 mtr	100 mtr/bundle 120 mtr/bundle		DS TRACK WHITE						
Distance Black         120 mst/hundle         6 mst         2001           Image: State Stat	1003600-G	2001003	6 mtr	120 mtr/bundle		DS TRACK GREY						•
CHARGE CONNECTOR     TRACK CONNECTOR     TODA     TO	1005600-G	2001005	6 mtr	120 mtr/bundle		DS TRACK ANTRHACITI						
For use of D5 / K5 / CS     provember (1000)     provember (10000)     provember (1000)     provember (	1006600-G	2001006	6 mtr	120 mtr/bundle		DS TRACK BLACK						
Can be inserted in the tradi, but still allows the carrier Can be inserted in the tradi, but still allows the carrier CARRER ASYMMETRICAL CARRER ASYMMETRICAL CARRER ASYMMETRICAL CARRER ASYMMETRICAL CARRER ASYMMETRICAL CARRER ASYMMETRICAL CARRER ASYMMETRICAL CARRER ASYMMETRICAL CONSTRUCTION CARRER ASYMMETRICAL CONSTRUCTION CARRER ASYMMETRICAL CONSTRUCTION CARRER ASYMMETRICAL CONSTRUCTION CARRER ASYMMETRICAL CONSTRUCTION CARRER ASYMMETRICAL CONSTRUCTION CONS	8401010 8403010 8406010	1018403	grey	10/box								•
Cikkalle, UV-existant platic, 10 curies on a bran- kaway this, late symmetric curies on a bran- black     prey     1010       Cikkalle, UV-existant platic     SOD/box     white     1011       STOP CARRER Cikkalle, UV-existant platic     200/box     white     1010       US     STOP CARRER Cikkalle, UV-existant platic     200/box     white     1010       US     US TWIST INDSTOP WITH CAP     100/box     white     2010       US     US TWIST INDSTOP WITH CAP     100/box     white     2010       US     DS ENDCAP SHORT + SCREW     100/box     white     2000       IS ENDCAP SHORT + SCREW     100/box     white     2000       IS ENDCAP UNVERSAL + SCREW     100/box     white     10	840000-G	2018400	white	50/box		Can be inserted in the tr						•
Image: State of the state	0001000 0003000 0006000	1010003	grey	500/box		Clickable, UV-resistant p	F					•
Clickable, UV-resistant plastic     prev     1007       DS TMYST ENDSTOP WITH CAP     1007/box     privite       UV-resistant plastic with metal plate. "Twists" into     1007/box     privite       DS ENDCAP SHORT + SCREW     1007/box     privite     2007       DS ENDCAP SHORT + SCREW     1007/box     privite     2007       DS ENDCAP UNIVERSAL + SCREW     1007/box     privite     2007       DS ENDCAP UNIVERSAL + SCREW     1007/box     privite     4866       DS ENDCAP UNIVERSAL + SCREW     1007/box     privite     1007       DS ENDCAP UNIVERSAL + SCREW     1007/box     privite <t< th=""><th>0101000</th><th>101010</th><th>white</th><th>500/box</th><th></th><th>CARRIER SYMMETRICA</th><th>G</th><th></th><th></th><th></th><th></th><th>•</th></t<>	0101000	101010	white	500/box		CARRIER SYMMETRICA	G					•
•       UV-restant platic with metal plate. "Twists" into black 2006         •       DS ENDCAP SHORT + SCREW for one-way draw cutains       100/box       white 2000         •       DS ENDCAP SHORT + SCREW for one-way draw cutains       100/box       white 2000         •       DS ENDCAP UNVERSAL + SCREW       100/box       white 2000         •       DS ENDCAP UNVERSAL + SCREW       100/box       white 2000         •       DS ENDCAP UNVERSAL + SCREW       100/box       white 2000         •       DS ENDCAP UNVERSAL + SCREW       100/box       white 2000         •       DS ENDCAP UNVERSAL + SCREW       100/box       white 2000         •       DS ENDCAP UNVERSAL + SCREW       100/box       white 2000         •       DS ENDCAP UNVERSAL + SCREW       100/box       white 2000         •       DS ENDCAP UNVERSAL + SCREW       100/box       white 2000         •       DS ENDCAP UNVERSAL + SCREW       100/box       white 1001         •       DS ENDCAP UNVERSAL + SCREW       100/box       white 1001         •       DS ENDCAP UNVERSAL + SCREW       100/box       white 1001         •       DS ENDCAP UNVERSAL + SCREW       100/box       white 1001         •       DS ENDCAP ENDERAP UNVERSAL + SCREW       100/box	0201000 0203000 0206000	1010203	grey	250/box			<b>B</b>					•
in the second	6301000 6303000 6306000	2016303	grey	100/box		UV-resistant plastic with						•
•       •	6001000 6003000 6005000 6006000	2006003 2006005	grey anthracite	100/box	W							•
Sildes onto the track, powder coated. Regular duty       grey       100/box         Image: Sildes onto the track, powder coated. Regular duty       100/box       white       101/box         Image: Sildes onto the track, powder coated. Regular duty       100/box       white       101/box         Image: Sildes onto the track, powder coated. Regular duty       100/box       white       101/box         Image: Sildes onto the track, powder coated. Regular duty       100/box       white       101/box         Image: Sildes onto the track, powder coated. Regular duty       100/box       white       101/box         Image: Sildes onto the track, powder coated. Regular duty       100/box       white       101/box         Image: Sildes onto the track, powder coated. Sildes onto the track, powder coated.       100/box       white       101/box         Image: Sildes onto the track, powder coated. Sildes onto the track, powder coated.       100/box       white       101/box         Image: Sildes onto track, powder coated.       100/box       white       101/box       white       101/box         Image: Sildes onto track, powder coated.       100/box       white       101/box       white       101/box         Image: Sildes onto track, powder coated.       100/box       white       101/box       white       101/box         Image:	6101000 6103000 6105000 6106000	4816103 4816105	grey anthracite	100/box	CREW	DS ENDCAP UNIVERSA						•
Slides onto the track, powder coated. Regular duty       grey       1015         Solved support makes fixing curtain track easier       black       1017         Solved support makes fixing curtain track easier       black       1017         Solved support makes fixing curtain track easier       black       1018         Solved support makes fixing curtain track easier       black       1017         Solved support makes fixing curtain track easier       black       1018         Solved support       Solved support       white       1019         Solved support       Solved support       white       1020         Solved support       Solved support       white       1020         Solved support       Solved support       Solved sup	8001000 8003000 8006000	1018003	grey	100/box	r coated. Regular duty							•
Powder coated, "klicks" onto track.     grey     1016       Attach with VK-4 mm screw.     black     1018       SMART KLICK CEILING BRACKET INCL COVER CAP     white     1016       SMART KLICK CEILING BRACKET INCL COVER CAP     grey     1018       COVER CAP FOR SMART KLICK BRACKETS     white     1019       Suitable for Smart Klick Wall-and Ceiling bracket     grey     1019       SMART KLICK WALL BRACKET 3.5 cm     50/box     white     1029       White     1012     50/box     white     1020       SMART KLICK WALL BRACKET 3.5 cm     50/box     grey     1020       "Klicks onto track, powder coated. One screw attachment.     grey     1020       SMART KLICK WALL BRACKET 7.5 cm     white     1020       "Klicks onto track, powder coated. One screw attachment.     grey     1020       SMART KLICK WALL BRACKET 7.5 cm     white     1020       "Klicks onto track, powder coated. One screw attachment.     grey     1020       SMART KLICK WALL BRACKET 7.5 CM     white     1020       SMART KLICK WALL BRACKET 7.5 CM SINGLE.     20/box     white     1020       SMART KLICK WALL BRACKET 7.5 CM SINGLE.     20/box     white     1020       SMART KLICK WALL BRACKET 7.5 CM SINGLE.     20/box     white     1020       Kicks onto track, powder coated.	8101000 8103000 8106000	1018103	grey	100/box	r coated. Regular duty	Slides onto the track, po						•
SMART KLICK CELING BRACKET INCL.COVER CAP       grey       0018         anthracite       1018         anthracite       1019         black       1019         grey       1019         grey       1019         anthracite       1019         grey       1019         anthracite       1019         grey       1019         anthracite       1019 <th>8201000 8203000 8206000</th> <th>1018203</th> <th>grey</th> <th>100/box</th> <th>o track.</th> <th>Powder coated, "klicks"</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>	8201000 8203000 8206000	1018203	grey	100/box	o track.	Powder coated, "klicks"						
Suitable for Smart Klick Wall-and Ceiling bracket       grey anthracite anthracite 1019 anthracite 1019 black 1019 black 1019         SMART KLICK WALL BRACKET 3,5 cm       \$0/box       white 1020 ment. For light weight use only.         SMART KLICK WALL BRACKET 5,5 cm       \$0/box       white 1020 ment. For light weight use only.         SMART KLICK WALL BRACKET 5,5 cm       \$0/box       white 1020 ment. For light weight use only.         SMART KLICK WALL BRACKET 7,5 cm       \$0/box       white 1020 ment. For light weight use only.         SMART KLICK WALL BRACKET 7,5 cm       \$0/box       white 1020 ment. For light weight use only.         *Kicks onto track, powder coated. One screw attachment. For light weight use only.       \$0/box       \$0/box         *Kicks onto track, powder coated. One screw attachment. For light weight use only.       \$0/box       \$0/box         *Kicks onto track, powder coated. One screw attachment. For light weight use only.       \$0/box       \$0/box         *Kicks onto track, powder coated. One screw attachment. For light weight use only.       \$0/box       \$0/box         *Kicks onto track, powder coated. One screw attachment. Screw 10020       \$0/box       \$0/box       \$0/box         *Kicks onto track, powder coated.       \$0/box       \$0/box       \$0/box       \$0/box         *Kicks onto track, powder coated.       \$0/box       \$0/box       \$0/box       \$0/box <t< th=""><th>8201001 8203001 8204001 8206001</th><th>1018203 1018204</th><th>grey anthracite</th><th></th><th>CKET INCL.COVER CAP</th><th>SMART KLICK CEILING</th><th>4.</th><th></th><th></th><th></th><th></th><th>•</th></t<>	8201001 8203001 8204001 8206001	1018203 1018204	grey anthracite		CKET INCL.COVER CAP	SMART KLICK CEILING	4.					•
• Klicks onto track, powder coated. One screw attachment. For light weight use only.       grey       1020         • SMART KLICK WALL BRACKET 6 cm       white       1020         • Klicks onto track, powder coated. One screw attachment. For light weight use only.       black       1020         • SMART KLICK WALL BRACKET 7,5 cm       white       1020         • Klicks onto track, powder coated. One screw attachment. For light weight use only.       black       1020         • SMART KLICK WALL BRACKET 7,5 cm       white       1020         • Klicks onto track, powder coated. One screw attachment. For light weight use only.       black       1020         • Klicks onto track, powder coated. One screw attachment. For light weight use only.       black       1020         • Klicks onto track, powder coated.       grey       1020         • Klicks onto track, powder coated.       white       1020         • Klicks onto track, powder coated.       grey       1020         • Klicks onto track, powder coated.       white       1020         • Klicks	9201000 9203000 9204000 9206000	1019203 1019204	grey anthracite									
<ul> <li>*Klicks onto track, powder coated. One screw attachment. For light weight use only.</li> <li>MART KLICK WALL BRACKET 7,5 cm</li> <li>*Klicks onto track, powder coated. One screw attachgrey</li> <li>*Klicks onto track, powder co</li></ul>	0201035 0203035 0206035	1020203	grey	50/box	pated. One screw attach-	"Klicks onto track, powo						
<ul> <li>Klicks onto track, powder coated. One screw attach- ment. For light weight use only.</li> <li>ALUMINIUM SK WALL BRACKET 7,5 CM SINGLE. 20/box white 1020 grey 1020 brown 10200 brown 10200</li> <li>ALUMINIUM SK AFSTANDSTEUN 10 cm ENKEL. 20/box black 10200 white 10200</li> <li>ALUMINIUM SK AFSTANDSTEUN 10 cm ENKEL. 20/box black 10200 grey 10200</li> <li>ALUMINIUM SK AFSTANDSTEUN 15 cm DUBBEL. 15/box black 10200 grey 10200</li> <li>KS ALUMINIUM SK AFSTANDSTEUN 20 cm DUBBEL. 15/box black 10200</li> </ul>	0201060 0203060 0206060	1020203	grey		oated. One screw attach-	"Klicks onto track, powo	Ø					•
<ul> <li>*Klicks onto track, powder coated</li> <li>grey</li> <li>huminian</li> <li>aLUMINIUM SK AFSTANDSTEUN 10 cm ENKEL.</li> <li>20/box</li> <li>black</li> <li>black</li> <li>cm</li> <li>cm</li> <li>black</li> <li>cm</li> <li>cm<td>0201075 0203075 0206075</td><td>1020203</td><td>grey</td><td></td><td>pated. One screw attach-</td><td>"Klicks onto track, powo</td><td></td><th></th><td></td><td></td><td></td><td></td></li></ul>	0201075 0203075 0206075	1020203	grey		pated. One screw attach-	"Klicks onto track, powo						
<ul> <li>Klicks onto track, powder coated</li> <li>White</li> <li>grey</li> <li>MLUMINIUM SK AFSTANDSTEUN 15 cm DUBBEL.</li> <li>15/box</li> <li>black</li> <li>black</li> <li>1020</li> <li>grey</li> <li>1020</li> <li>grey</li> <li>1020</li> <li>grey</li> <li>1020</li> <li>grey</li> <li>1020</li> <li>black</li> <li>1020</li> <li>black</li> <li>1020</li> <li>black</li> <li>1020</li> <li>brown</li> <li>1020</li> <li>brown</li> <li>1020</li> <li>brown</li> <li>1020</li> <li>brown</li> <li>1020</li> <li>brown</li> <li>1020</li> <li>brown</li> <li>1020</li> </ul>	0301075 0303075 0305075	1020303 1020305	grey brown		pated.	"Klicks onto track, powo						
Kicks onto track, powder coated     white         1020         grey         1020         brown	0306075 0301100 0303100 0306100	102030 <sup>2</sup> 1020303	white grey		pated	"Klicks onto track, powc ≫						
	0301150 0303150 0305150	102030 1020303 1020303	white grey brown		pated	"Klicks onto track, powo						•
grey 1020	0306150 0301200 0303200 0306200	102030 <sup>2</sup> 1020303	white grey									
ALUMINIUM SK AFSTANDSTEUN 25 cm TRIPLE. white 1020 "Klicks onto track, powder coated. grey 1020	0301250 0303250 0305250	102030 <sup>2</sup> 1020303	white grey									
THUNIVERSAL grey 1021	1301000 1303000 1306000	1021303	grey	50/box	ALUMINIUM BRACKET		A					•

DS	DS-XL	DS-XL CORDED	DS-XL MOTORISED	DS-XL LED	DS-XL LED MOTORISED	DS-XL/ DS-XL LED/ DS-XL (LED) MOTORISED + COMPONENTS	ARTICLE		PACKING UNIT		ART.NR
	•	•					DS-XL TRACK, 6 mtr (19"8")		24mtr/bundle	white grey anthracite	3916101600 3916103600 3916105600
			•				DS-XL TRACK MOTORISED, 6 mtr In combination with Shuttle L motor		6mtr/bundle	white anthracite	5915501600 5915505600
				•			DS-XL LED TRACK MANUAL		6mtr/length	white anthracite	5917501600 5917505600
					•			🤣 reddot winner 2021	6mtr/length	white anthracite	5915501600 5915505600
	•	•	•	•	•	(HD	ECONOMY CARRIER SMALL		500/box	white black	3910101000 3910106000
	•	•	•	•	•	$\bigcirc$	DS-XL END STOP		100/box		3916001000
	•						DS-XL ENDCAP		20/box	white grey black	3916101000 3916103000 3916106000
		•					DS-XL ENDCAP CORDED		20/box	white grey black	3916201000 3916203000 3916206000
				•			DS-XL LED ENDCAP		20/box	white black	5916501000 5916506000
				•			DS-XL LED END CAP FLAT		20/box	white black	5916501002 5916506002
	•	•	•	•	•		DS-XL KLICK CEILING BRACKET		100/box		3918301000
	•	•	•	•	•	T	DS-XL CEILING SWIVEL BRACKET		100/box	white anthracite	3818200230 3818205230
	•	•	•	•	•		DS-XL WALL BRACKET 9 CM		5/box	white anthracite	3820001018 3820005018
	•	•	•	•	•		DS-XL TRACK CONNECTOR STRAIGHT		10/box		3916401000
	•			•			DS-XL TRACK CONNECTOR 90 DEGREE	S	10/box		3916401001
				•	•	- TERESCONSIGNATION OF THE PARTY OF THE PART	DS-XL LED STRIP 3045 3000K/ 24V/ 9.6W/m 8mm width		50mtr/roll		5917503045-R1
				•			DS-XL LED CONNECTOR STRAIGHT		10/box		5917502400
				•	•		DS-XL LED CONNECTOR CABLE 2MTR EXTENSION CABLE		1/box 1/box	black (200cm/24v) black (200cm/24v)	5917502420 5917512420
				•	•		DS-XL LED DIMMER In combination with Shuttle M adaptor		1/box	white black	5917531470 5917536470
				•	•		DS-XL LED STRIP 3045 POWER SUPPLY 35 cm / 24Vdc 200cm / 24Vdc 200cm / 24Vdc DS-XL LED Dimmer accessory	CABLE	1/piece	white white black	5917502431 5917502421 5917502422

DS	DS-XL	DS-XL CORDED	DS-XL MOTORISED	DS-XL LED	DS-XL LED MOTORISED	DS-XL/ DS-XL LED/ DS-XL (LED) MOTORISED + COMPONENTS	ARTICLE	PACKING UNIT		ART.NR
				•	•		DS-XL LED STRIP 3045 EXTENSION CABLE 200cm / 24Vdc DS-XL LED Dimmer accessory	1/piece	white black	5917512421 5917512422
				•	•		DS-XL LED STRIP CONNECTOR PLUG DS-XL LED Dimmer accessory	1/piece		5917524515
				•	•		DS-XL LED STRIP 3045 CONNECTOR 90 DEGREE DS-XL LED Dimmer accessory	10/box	24v	5917502491
				•	•		ADAPTOR SET SHUTTLE M (icm DS-XL LED Dimmer) Incl. cable & holder EU 0.50 mtr EU 3.00 mtr UK 0.50 mtr USA 0.50 mtr EU 0.50 mtr	1/box	white white white white black	5201002002 5201002003 5201002004 5201002007 5201006002
			•				DS-XL LED STRIP ANTHRACITE To cover the LED-channel when not in use	6mtr/bundle	anthracite	5916505000
				•			DS-XL LED STRIP OPAAL - MIDDLE	6mtr/bundle		5916509001
				•	•		DS-XL LED STRIP MOUNTING DEVICE	1/box		5916509999
				•			DS-XL LED STRIP CONNECTOR 90 DEGREE	10/box		5917502490
			•		•		DS-XL LED MOTORISED MOTOR PULLEY, 6 mtr	1/box	white black	5917011000 5917076000
			•		•		DS-XL LED MOTORISED RETURN PULLEY, 6 mtr	1/box	white black	5917011100 5917016100
			•		•	anannananan an an an an an an an an an a	FMS TRANSPORT BELT Toothed belt, to be installed inside the FMS Track	100mtr/roll		5105501000
			•		•	-	FMS BELT CONNECTOR Connects the Master Carrier with the transport belt	50/box	white grey black	5103011500 5103013500 5103016500
			•		•		MRS BELT CONNECTOR Connects the Master Carrier with the transport belt	25/box		4805711500

DS	DS-XL	DS-XL CORDED	DS-XL MOTORISED	DS-XL LED	DS-XL LED MOTORISED	FOREST WAVE ONDERDELEN	ARTICLE	PACKING UNIT		ART.NR
•							WAVE DS ENDCAP + SCREW To be screwed with an Easywave carrier, made of UV-resistant plastic for wave	100/box	white grey black	4816101000 4816103000 4816106000
			•		•		EASYFLEX MASTER CARRIER 90 DEGREE LEFT for center draw	25/box	white grey black	4815351090 4815353090 4815356090
							90° left for small stiffener		white	4815361090
			•		•		EASYFLEX MASTER CARRIER 90 DEGREE RIGHT for center draw	15/box	white grey black	4815451090 4815453090 4815456090
							90° right for small stiffener		white	4815461090
							EASYFLEX PLASTIC MASTER CARRIER 90 DEGREE	15/box	white	3916701000 3916703000
	•	•		•					black	3916706000

DS	DS-XL	DS-XL CORDED	DS-XL MOTORISED	DS-XL LED	DS-XL LED MOTORISED	CONTROL COMPONENTS + OTHER ITEMS	ARTICLE	PACKING UNIT		ART.NR
		•					DS-XL CORD CONNECTOR	100/box	white grey black	1530301000 1530303000 1530306000
		•					CORD 3 MM ON ROLL	200mtr/roll	white grey black	3830401000 3830403000 3830406000
		•					TENSION PULLEY	25/box	white	1030501000
		•					CORD/CHAIN WALL MOUNT SAFETY BOX SINGLE	25/box		3645702000
		•					CORD/CHAIN WEIGHT DESIGN 110 GR WIT	10/box	white grey black	3030701000 3030703000 3030706000
			•		•		FOREST DIAMOND SENSE REMOTE CONTROL	1/box	white black	5201091470 5201096470
			•		•		FOREST WIFI DONGLE Incl. cable WiFi 2.4GHz Power supply 12V DC 300mA max USB power 5V DC 1000mA max Control the curtains with Forest Connect App Bidirectioneel	1/box	white black	5201002280 5201006280
			•		•		FOREST WIRELESS CONNECTOR Incl.15cm USB cable, excl. usb-adaptor One way transmitter to control curtains by third party apps (i.e Google/Apple /Amazon) or by Domotics	1/box	white	5201002270
			•		•		FOREST WIRELESS CONNECTOR USB ADAPTOR	1/box	EU UK AU US	5201002271-EU 5201002271-UK 5201002272-AU 5201002274-US
			•		•		FOREST WIRELESS WALL SWITCH 2-channel wall switch Sizes: 8.5 x 8.5 x 1 cm	1/box	white black	5201001480 5201006480

DS	DS-XL	DS-XL CORDED	DS-XL MOTORISED	DS-XL LED	DS-XL LED MOTORISED	BENDING COMPONENTS	ARTICLE	PACKING UN	п	ART.NR
							COMPACT BENDING HOUSE For DS / KS / CRS	1/each		1050000000
							DS BENDING WHEEL ALL-IN incl. strips (60cm)	1/each		2050000000
•							ELECTRIC POWERED BENDER For creating continuous curves. Minimum radius 50 cm. Inclusive 3 DS wheels and bending strip.	1/box	230 volt EU	1060500000
•							DS BENDING WHEELS Set of 3 bending wheels for electric powered bender. Only suitable for DS track.	1/set		2060700000
•							DS T-BENDING STRIP SET ELECTRIC For DS electric powered bender, Length of 60 cm.	1/piece	7m	8500000000
•	•		•			<b>A</b>	ELECTRIC POWERED RAILCUTTER Sawing machine for all thin-walled aluminum profiles. Also for miter cuts.	1/piece	230 volt EU	1061100000
							REPLACEMENT BLADE For electric powered railcutter.	1/piece		1061200000



